



Publication List: Jan-Dec 2017

La Trobe Sports and Exercise Medicine Research Centre

January 2017

1. Culvenor AG, Øiestad BE, Holm I, Gunderson RB, Crossley KM, Risberg MA. Anterior knee pain following anterior cruciate ligament reconstruction does not increase the risk of patellofemoral osteoarthritis at 15- and 20-year follow-ups. *Osteoarthritis and Cartilage*. 2017;25(1):30-3.
2. Cockayne S, Adamson J, Clarke A, Corbacho B, Fairhurst C, Green L, et al. Cohort randomised controlled trial of a multifaceted podiatry intervention for the prevention of falls in older people (The REFORM Trial). *PLoS ONE*. 2017;12(1).
3. Edwards S, Brooke HC, Cook JL. Distinct cut task strategy in Australian football players with a history of groin pain. *Physical Therapy in Sport*. 2017;23:58-66.
4. Heywood S, McClelland J, Mentiplay B, Geigle P, Rahmann A, Clark R. Effectiveness of Aquatic Exercise in Improving Lower Limb Strength in Musculoskeletal Conditions: A Systematic Review and Meta-Analysis. *Archives of Physical Medicine and Rehabilitation*. 2017;98(1):173-86.
5. Bonanno DR, Landorf KB, Munteanu SE, Murley GS, Menz HB. Effectiveness of foot orthoses and shock-absorbing insoles for the prevention of injury: A systematic review and meta-analysis. *British Journal of Sports Medicine*. 2017;51(2):86-96.
6. Morris NR, Kermeen FD, Holland AE. Exercise-based rehabilitation programmes for pulmonary hypertension. *Cochrane Database of Systematic Reviews*. 2017;2017(1).
7. Matthews M, Rathleff MS, Claus A, McPoil T, Nee R, Crossley K, et al. The foot orthoses versus hip eXercises (FOHX) trial for patellofemoral pain: A protocol for a randomized clinical trial to determine if foot mobility is associated with better outcomes from foot orthoses. *Journal of Foot and Ankle Research*. 2017;10(1).
8. Holland AE, Mahal A, Hill CJ, Lee AL, Burge AT, Cox NS, et al. Home-based rehabilitation for COPD using minimal resources: A randomised, controlled equivalence trial. *Thorax*. 2017;72(1):57-65.
9. Collins NJ, Hinman RS, Menz HB, Crossley KM. Immediate effects of foot orthoses on pain during functional tasks in people with patellofemoral osteoarthritis: A cross-over, proof-of-concept study. *Knee*. 2017;24(1):76-81.
10. Bell EC, Cox NS, Goh N, Glaspole I, Westall GP, Watson A, et al. Oxygen therapy for interstitial lung disease: A systematic review. *European Respiratory Review*. 2017;26(143).
11. Guenther JR, Cochrane CK, Crossley KM, Gilbert MK, Hunt MA. A pre-operative exercise intervention can be safely delivered to people with femoroacetabular impingement and improve clinical and biomechanical outcomes. *Physiotherapy Canada*. 2017;69(3):204-11.
12. McPherson L, Long M, Nicholson M, Cameron N, Atkins P, Morris ME. Secrecy Surrounding the Physical Abuse of Child Athletes in Australia. *Australian Social Work*. 2017;70(1):42-53.

February 2017

13. Vickery W, Dascombe B, Duffield R. The association between internal and external measures of training load in batsmen and medium-fast bowlers during net-based cricket training. *International Journal of Sports Physiology and Performance*. 2017;12(2):247-53.
14. Hatton AL, Crossley KM, Clark RA, Whitehead TS, Morris HG, Culvenor AG. Between-leg differences in challenging single-limb balance performance one year following anterior cruciate ligament reconstruction. *Gait and Posture*. 2017;52:22-5.
15. Perrott MA, Pizzari T, Cook J, McClelland JA. Comparison of lower limb and trunk kinematics between markerless and marker-based motion capture systems. *Gait and Posture*. 2017;52:57-61.
16. Scanlan AT, Fox JL, Borges NR, Dascombe BJ, Dalbo VJ. Cumulative training dose's effects on interrelationships between common training-load models during basketball activity. *International Journal of Sports Physiology and Performance*. 2017;12(2):168-74.
17. Tipping CJ, Harrold M, Holland A, Romero L, Nisbet T, Hodgson CL. The effects of active mobilisation and rehabilitation in ICU on mortality and function: a systematic review. *Intensive Care Medicine*. 2017;43(2):171-83.
18. Menz HB, Auhl M, Munteanu SE. Effects of Indoor Footwear on Balance and Gait Patterns in Community-Dwelling Older Women. *Gerontology*. 2017;63(2):129-36.
19. Ackerman IN, Kemp JL, Crossley KM, Culvenor AG, Hinman RS. Hip and knee osteoarthritis affects younger people, too. *Journal of Orthopaedic and Sports Physical Therapy*. 2017;47(2):67-79.
20. Hahne AJ, Ford JJ, Surkitt LD, Richards MC, Chan AYP, Slater SL, et al. Individualized physical therapy is cost-effective compared with guideline-based advice for people with low back disorders. *Spine*. 2017;42(3):E169-E76.
21. Fuller LM, Button B, Tarrant B, Steward R, Bennett L, Snell G, et al. Longer Versus Shorter Duration of Supervised Rehabilitation After Lung Transplantation: A Randomized Trial. *Archives of Physical Medicine and Rehabilitation*. 2017;98(2):220-6.e3.
22. Sritharan P, Lin YC, Richardson SE, Crossley KM, Birmingham TB, Pandy MG. Musculoskeletal loading in the symptomatic and asymptomatic knees of middle-aged osteoarthritis patients. *Journal of Orthopaedic Research*. 2017;35(2):321-30.
23. Fearon A, Neeman T, Smith P, Scarvell J, Cook J. Pain, not structural impairments may explain activity limitations in people with gluteal tendinopathy or hip osteoarthritis: A cross sectional study. *Gait and Posture*. 2017;52:237-43.
24. Saywell N, Taylor N, Rodgers E, Skinner L, Boocock M. Play-based interventions improve physical function for people with adult-acquired brain injury: A systematic review and meta-analysis of randomised controlled trials. *Clinical Rehabilitation*. 2017;31(2):145-57.
25. Lockwood KJ, Taylor NF, Boyd JN, Harding KE. Pre-discharge home visits by occupational therapists completed for patients following hip fracture. *Australian Occupational Therapy Journal*. 2017;64(1):41-8.

26. Hill AM, Etherton-Bear C, McPhail SM, Morris ME, Flicker L, Shorr R, et al. Reducing falls after hospital discharge: A protocol for a randomised controlled trial evaluating an individualised multimodal falls education programme for older adults. *BMJ Open*. 2017;7(2).
27. Ruehland WR, Rochford PD, Pierce RJ, Webster KE, Trinder JA, Jordan AS, et al. Sensory detection of threshold intensity resistive loads in severe obstructive sleep apnoea. *Respiratory Physiology and Neurobiology*. 2017;236:29-41.
28. Clark RA, Bell SW, Feller JA, Whitehead TS, Webster KE. Standing balance and inter-limb balance asymmetry at one year post primary anterior cruciate ligament reconstruction: Sex differences in a cohort study of 414 patients. *Gait and Posture*. 2017;52:318-24.
29. Volpe D, Pavan D, Morris M, Guiotto A, Iansek R, Fortuna S, et al. Underwater gait analysis in Parkinson's disease. *Gait and Posture*. 2017;52:87-94.
30. Bruder AM, McClelland JA, Shields N, Dodd KJ, Hau R, van de Water ATM, et al. Validity and reliability of an activity monitor to quantify arm movements and activity in adults following distal radius fracture. *Disability and Rehabilitation*. 2017:1-8.
31. Lang TR, Cook J, Rio E, Gaida JE. What tendon pathology is seen on imaging in people who have taken fluoroquinolones? A systematic review. *Fundamental and Clinical Pharmacology*. 2017;31(1):4-16.

March 2017

32. Wollin M, Thorborg K, Pizzari T. The acute effect of match play on hamstring strength and lower limb flexibility in elite youth football players. *Scandinavian Journal of Medicine and Science in Sports*. 2017;27(3):282-8.
33. Stevens CJ, Bennett KJM, Sculley DV, Callister R, Taylor L, Dascombe BJ. A Comparison of Mixed-Method Cooling Interventions on Preloaded Running Performance in the Heat. *Journal of Strength and Conditioning Research*. 2017;31(3):620-9.
34. Whittaker GA, Munteanu SE, Menz HB, Elzarka A, Landorf KB. Corticosteroid injections compared to foot orthoses for plantar heel pain: protocol for the SOOTHE heel pain randomised trial. *Contemporary Clinical Trials Communications*. 2017;5:1-11.
35. Bohingamu Mudiyansele S, Watts JJ, Abimanyi-Ochom J, Lane L, Murphy AT, Morris ME, et al. Cost of Living with Parkinson's Disease over 12 Months in Australia: A Prospective Cohort Study. *Parkinson's Disease*. 2017;2017.
36. Dunstan RH, Sparkes DL, Macdonald MM, De Jonge XJ, Dascombe BJ, Gottfries J, et al. Diverse characteristics of the urinary excretion of amino acids in humans and the use of amino acid supplementation to reduce fatigue and sub-health in adults. *Nutrition Journal*. 2017;16(1).
37. Raymond MJM, Jeffs KJ, Winter A, Soh SE, Hunter P, Holland AE. The effects of a high-intensity functional exercise group on clinical outcomes in hospitalised older adults: An assessor-blinded, randomised controlled trial. *Age and Ageing*. 2017;46(2):208-14.
38. Creaby MW, Honeywill C, Franettovich Smith MM, Schache AG, Crossley KM. Hip Biomechanics Are Altered in Male Runners with Achilles Tendinopathy. *Medicine and Science in Sports and Exercise*. 2017;49(3):549-54.

39. Hahne AJ, Ford JJ, Hinman RS, Richards MC, Surkitt LD, Chan AYP, et al. Individualized functional restoration as an adjunct to advice for lumbar disc herniation with associated radiculopathy. A preplanned subgroup analysis of a randomized controlled trial. *Spine Journal*. 2017;17(3):346-59.
40. Cockayne S, Fairhurst C, Adamson J, Hewitt C, Hull R, Hicks K, et al. An optimised patient information sheet did not significantly increase recruitment or retention in a falls prevention study: An embedded randomised recruitment trial. *Trials*. 2017;18(1).
41. Clark IN, Baker FA, Peiris CL, Shoebridge G, Taylor NF. Participant-selected music and physical activity in older adults following cardiac rehabilitation: A randomized controlled trial. *Clinical Rehabilitation*. 2017;31(3):329-39.
42. McClelland JA, Feller JA, Menz HB, Webster KE. Patients with total knee arthroplasty do not use all of their available range of knee flexion during functional activities. *Clinical Biomechanics*. 2017;43:74-8.
43. Burge AT, Lee AL, Kein C, Button BM, Sherburn MS, Miller B, et al. Prevalence and impact of urinary incontinence in men with chronic obstructive pulmonary disease: a questionnaire survey. *Physiotherapy (United Kingdom)*. 2017;103(1):53-8.
44. Cheng TE, Wallis JA, Taylor NF, Holden CT, Marks P, Smith CL, et al. A Prospective Randomized Clinical Trial in Total Hip Arthroplasty—Comparing Early Results Between the Direct Anterior Approach and the Posterior Approach. *Journal of Arthroplasty*. 2017;32(3):883-90.
45. Nealon AR, Kountouris A, Cook JL. Side strain in sport: a narrative review of pathomechanics, diagnosis, imaging and management for the clinician. *Journal of Science and Medicine in Sport*. 2017;20(3):261-6.

April 2017

46. Schache AG, Woodley SJ, Schilders E, Orchard JW, Crossley KM. Anatomical and morphological characteristics may explain why groin pain is more common in male than female athletes. *British Journal of Sports Medicine*. 2017;51(7):554-5.
47. Carroll LM, Volpe D, Morris ME, Saunders J, Clifford AM. Aquatic Exercise Therapy for People With Parkinson Disease: A Randomized Controlled Trial. *Archives of Physical Medicine and Rehabilitation*. 2017;98(4):631-8.
48. Edwards S, Steele JR, McGhee DE, Purdam CR, Cook JL. Asymptomatic players with a patellar tendon abnormality do not adapt their landing mechanics when fatigued. *Journal of Sports Sciences*. 2017;35(8):769-76.
49. Rudavsky A, Cook J, Magnusson SP, Kjaer M, Docking S. Characterising the proximal patellar tendon attachment and its relationship to skeletal maturity in adolescent ballet dancers. *Muscles, Ligaments and Tendons Journal*. 2017;7(2):306-14.
50. Devitt BM, Bouguennec N, Barfod KW, Porter T, Webster KE, Feller JA. Combined anterior cruciate ligament reconstruction and lateral extra-articular tenodesis does not result in an increased rate of osteoarthritis: a systematic review and best evidence synthesis. *Knee Surgery, Sports Traumatology, Arthroscopy*. 2017;25(4):1149-60.

51. Ganderton C, Pizzari T, Harle T, Cook J, Semciw A. A comparison of gluteus medius, gluteus minimus and tensor fascia latae muscle activation during gait in post-menopausal women with and without greater trochanteric pain syndrome. *Journal of Electromyography and Kinesiology*. 2017;33:39-47.
52. Watson L, Balster S, Warby SA, Sadi J, Hoy G, Pizzari T. A comprehensive rehabilitation program for posterior instability of the shoulder. *Journal of Hand Therapy*. 2017;30(2):182-92.
53. Cook JL, Rio E, Purdam CR, Girdwood M, Ortega-Cebrian S, Docking SI. The continuum of tendon pathology: Current view and clinical implications. *Apunts Medicina de l'Esport*. 2017;52(194):61-9.
54. Frazer AK, Williams J, Spittle M, Kidgell DJ. Cross-education of muscular strength is facilitated by homeostatic plasticity. *European Journal of Applied Physiology*. 2017;117(4):665-77.
55. Dennett AM, Shields N, Peiris CL, Reed MS, O'Halloran PD, Taylor NF. Does psychoeducation added to oncology rehabilitation improve physical activity and other health outcomes? A systematic review. *Rehabilitation Oncology*. 2017;35(2):61-71.
56. Mosler AB, Crossley KM, Thorborg K, Whiteley RJ, Weir A, Serner A, et al. Hip strength and range of motion: Normal values from a professional football league. *Journal of Science and Medicine in Sport*. 2017;20(4):339-43.
57. Morris ME, Taylor NF, Watts JJ, Evans A, Horne M, Kempster P, et al. A home program of strength training, movement strategy training and education did not prevent falls in people with Parkinson's disease: a randomised trial. *Journal of Physiotherapy*. 2017;63(2):94-100.
58. Gerrard JM, Bonanno DR. Increasing preferred step rate during running reduces plantar pressures. *Scandinavian Journal of Medicine and Science in Sports*. 2017.
59. Burge AT, Cox NS, Abramson MJ, Holland AE. Interventions for promoting physical activity in people with COPD. *Cochrane Database of Systematic Reviews*. 2017;2017(4).
60. Pazzinatto MF, de Oliveira Silva D, Pradela J, Coura MB, Barton C, de Azevedo FM. Local and widespread hyperalgesia in female runners with patellofemoral pain are influenced by running volume. *Journal of Science and Medicine in Sport*. 2017;20(4):362-7.
61. Gibbon A, Hobbs H, van der Merwe W, Raleigh SM, Cook J, Handley CJ, et al. The MMP3 gene in musculoskeletal soft tissue injury risk profiling: A study in two independent sample groups. *Journal of Sports Sciences*. 2017;35(7):655-62.
62. Devitt BM, O'Sullivan R, Feller JA, Lash N, Porter TJ, Webster KE, et al. MRI is not reliable in diagnosing of concomitant anterolateral ligament and anterior cruciate ligament injuries of the knee. *Knee Surgery, Sports Traumatology, Arthroscopy*. 2017;25(4):1345-51.
63. Warby SA, Watson L, Ford JJ, Hahne AJ, Pizzari T. Multidirectional instability of the glenohumeral joint: Etiology, classification, assessment, and management. *Journal of Hand Therapy*. 2017;30(2):175-81.
64. Harding K, Lynch L, Porter J, Taylor NF. Organisational benefits of a strong research culture in a health service: A systematic review. *Australian Health Review*. 2017;41(1):45-53.
65. Novak AR, Bennett KJM, Fransen J, Dascombe BJ. Predictors of performance in a 4-h mountain-bike race. *Journal of Sports Sciences*. 2017:1-7.

66. Khor YH, Ng Y, Goh NSL, McDonald CF, Holland AE. Prognosis of adults with idiopathic pulmonary fibrosis without treatment or without effective therapies. *Cochrane Database of Systematic Reviews*. 2017;2017(4).
67. Lee AL, Hill CJ, McDonald CF, Holland AE. Pulmonary Rehabilitation in Individuals With Non-Cystic Fibrosis Bronchiectasis: A Systematic Review. *Archives of Physical Medicine and Rehabilitation*. 2017;98(4):774-82.e1.
68. Cox NS, Oliveira CC, Lahham A, Holland AE. Pulmonary rehabilitation referral and participation are commonly influenced by environment, knowledge, and beliefs about consequences: a systematic review using the Theoretical Domains Framework. *Journal of Physiotherapy*. 2017;63(2):84-93.
69. Webster KE, Feller JA, Whitehead TS, Myer GD, Merory PB. Return to sport in the younger patient with anterior cruciate ligament reconstruction. *Orthopaedic Journal of Sports Medicine*. 2017;5(4).
70. Stevens CJ, Kittel A, Sculley DV, Callister R, Taylor L, Dascombe BJ. Running performance in the heat is improved by similar magnitude with pre-exercise cold-water immersion and mid-exercise facial water spray. *Journal of Sports Sciences*. 2017;35(8):798-805.
71. Munteanu SE, Landorf KB, Mc Clelland JA, Roddy E, Cicuttini FM, Shiell A, et al. Shoe-stiffening inserts for first metatarsophalangeal joint osteoarthritis (the SIMPLE trial): Study protocol for a randomised controlled trial. *Trials*. 2017;18(1).
72. Wyndow N, Crossley KM, Vicenzino B, Tucker K, Collins NJ. A single-blinded, randomized, parallel group superiority trial investigating the effects of footwear and custom foot orthoses versus footwear alone in individuals with patellofemoral joint osteoarthritis: A phase II pilot trial protocol. *Journal of Foot and Ankle Research*. 2017;10(1).
73. Szoeké C, Dang C, Lehert P, Hickey M, Morris ME, Dennerstein L, et al. Unhealthy habits persist: The ongoing presence of modifiable risk factors for disease in women. *PLoS ONE*. 2017;12(4).

May 2017

74. Alison JA, McKeough ZJ, Johnston K, McNamara RJ, Spencer LM, Jenkins SC, et al. Australian and New Zealand Pulmonary Rehabilitation Guidelines. *Respirology*. 2017;22(4):800-19.
75. Cockayne S, Rodgers S, Green L, Fairhurst C, Adamson J, Scantlebury A, et al. Clinical effectiveness and cost-effectiveness of a multifaceted podiatry intervention for falls prevention in older people: A multicentre cohort randomised controlled trial (the reducing falls with orthoses and a multifaceted podiatry intervention trial). *Health Technology Assessment*. 2017;21(24).
76. Kimmel LA, Holland AE, Lannin N, Edwards ER, Page RS, Bucknill A, et al. Clinicians' perceptions of decision making regarding discharge from public hospitals to in-patient rehabilitation following trauma. *Australian Health Review*. 2017;41(2):192-200.
77. Stevens CJ, Taylor L, Dascombe BJ. Cooling During Exercise: An Overlooked Strategy for Enhancing Endurance Performance in the Heat. *Sports Medicine*. 2017;47(5):829-41.
78. Bonanno DR, Gillies EJ. Flexor Tenotomy Improves Healing and Prevention of Diabetes-Related Toe Ulcers: A Systematic Review. *Journal of Foot and Ankle Surgery*. 2017;56(3):600-4.

79. Lawrenson P, Grimaldi A, Crossley K, Hodges P, Vicenzino B, Semciw AI. Iliocapsularis: Technical application of fine-wire electromyography, and direction specific action during maximum voluntary isometric contractions. *Gait and Posture*. 2017;54:300-3.
80. Perraton L, Clark R, Crossley K, Pua YH, Whitehead T, Morris H, et al. Impaired voluntary quadriceps force control following anterior cruciate ligament reconstruction: relationship with knee function. *Knee Surgery, Sports Traumatology, Arthroscopy*. 2017;25(5):1424-31.
81. Hart HF, Barton CJ, Khan KM, Riel H, Crossley KM. Is body mass index associated with patellofemoral pain and patellofemoral osteoarthritis? A systematic review and meta-regression and analysis. *British Journal of Sports Medicine*. 2017;51(10):781-90.
82. Rio E, Van Ark M, Docking S, Moseley GL, Kidgell D, Gaida JE, et al. Isometric contractions are more analgesic than isotonic contractions for patellar tendon pain: An in-season randomized clinical trial. *Clinical Journal of Sport Medicine*. 2017;27(3):253-9.
83. Macri EM, Culvenor AG, Morris HG, Whitehead TS, Russell TG, Khan KM, et al. Lateral displacement, sulcus angle and trochlear angle are associated with early patellofemoral osteoarthritis following anterior cruciate ligament reconstruction. *Knee Surgery, Sports Traumatology, Arthroscopy*. 2017:1-8.
84. Mazzarino M, Kerr D, Morris ME. Pilates program design and health benefits for pregnant women: A practitioners' survey. *Journal of Bodywork and Movement Therapies*. 2017.
85. Menz HB, Auhl M, Tan JM, Levinger P, Roddy E, Munteanu SE. Predictors of response to prefabricated foot orthoses or rocker-sole footwear in individuals with first metatarsophalangeal joint osteoarthritis. *BMC Musculoskeletal Disorders*. 2017;18(1):1-9.
86. Ward N, Stiller K, Rowe H, Holland AE. The psychometric properties of the Leicester Cough Questionnaire and Respiratory Symptoms in CF tool in cystic fibrosis: A preliminary study. *Journal of Cystic Fibrosis*. 2017;16(3):425-32.
87. Giles L, Webster KE, McClelland J, Cook JL. Quadriceps strengthening with and without blood flow restriction in the treatment of patellofemoral pain: A double-blind randomised trial. *British Journal of Sports Medicine*. 2017.
88. Howard ME, Piper AJ, Stevens B, Holland AE, Yee BJ, Dabscheck E, et al. A randomised controlled trial of CPAP versus non-invasive ventilation for initial treatment of obesity hypoventilation syndrome. *Thorax*. 2017;72(5):437-44.
89. Paterson KL, Kasza J, Hunter DJ, Hinman RS, Menz HB, Peat G, et al. The relationship between foot and ankle symptoms and risk of developing knee osteoarthritis: data from the osteoarthritis initiative. *Osteoarthritis and Cartilage*. 2017;25(5):639-46.
90. Filbay SR, Ackerman IN, Russell TG, Crossley KM. Return to sport matters—longer-term quality of life after ACL reconstruction in people with knee difficulties. *Scandinavian Journal of Medicine and Science in Sports*. 2017;27(5):514-24.

June 2017

91. Hart HF, Crossley KM, Collins NJ, Ackland DC. Bracing of the reconstructed and osteoarthritic knee during high dynamic load tasks. *Medicine and Science in Sports and Exercise*. 2017;49(6):1086-96.

92. Menz HB, Allan JJ, Bonanno DR, Landorf KB, Murley GS. Custom-made foot orthoses: An analysis of prescription characteristics from an Australian commercial orthotic laboratory. *Journal of Foot and Ankle Research*. 2017;10(1).
93. Ganderton C, Semciw A, Cook J, Pizzari T. Demystifying the Clinical Diagnosis of Greater Trochanteric Pain Syndrome in Women. *Journal of Women's Health*. 2017;26(6):633-43.
94. Mosler AB, Weir A, Eirale C, Farooq A, Thorborg K, Whiteley RJ, et al. Epidemiology of time loss groin injuries in a men's professional football league: A 2-year prospective study of 17 clubs and 606 players. *British Journal of Sports Medicine*. 2017.
95. Lamont RM, Morris ME, Menz HB, McGinley JL, Brauer SG. Falls in people with Parkinson's disease: A prospective comparison of community and home-based falls. *Gait and Posture*. 2017;55:62-7.
96. Awale A, Hagedorn TJ, Dufour AB, Menz HB, Casey VA, Hannan MT. Foot Function, Foot Pain, and Falls in Older Adults: The Framingham Foot Study. *Gerontology*. 2017;63(4):318-24.
97. Gillman A, Winkler R, Taylor NF. Implementing the Free Water Protocol does not Result in Aspiration Pneumonia in Carefully Selected Patients with Dysphagia: A Systematic Review. *Dysphagia*. 2017;32(3):345-61.
98. Khor YH, Goh NSL, McDonald CF, Holland AE. Oxygen therapy for interstitial lung disease a mismatch between patient expectations and experiences. *Annals of the American Thoracic Society*. 2017;14(6):888-95.
99. Menz HB, Auhl M, Munteanu SE. Preliminary evaluation of prototype footwear and insoles to improve balance and prevent falls in older people. *Footwear Science*. 2017;9:S27-S9.
100. Devitt BM, Bell SW, Webster KE, Feller JA, Whitehead TS. Surgical treatments of cartilage defects of the knee: Systematic review of randomised controlled trials. *Knee*. 2017;24(3):508-17.
101. McClelland JA, Webster KE, Ramteke AA, Feller JA. Total knee arthroplasty with computer-assisted navigation more closely replicates normal knee biomechanics than conventional surgery. *Knee*. 2017;24(3):651-6.

July 2017

102. Scott BR, Slattery KM, Sculley DV, Smith SM, Peiffer JJ, Dascombe BJ. Acute physiological and perceptual responses to high-load resistance exercise in hypoxia. *Clinical Physiology and Functional Imaging*. 2017.
103. Scott BR, Slattery KM, Sculley DV, Lockhart C, Dascombe BJ. Acute Physiological Responses to Moderate-Load Resistance Exercise in Hypoxia. *Journal of Strength and Conditioning Research*. 2017;31(7):1973-81.
104. Mason J, Frazer A, Horvath DM, Pearce AJ, Avela J, Howatson G, et al. Adaptations in corticospinal excitability and inhibition are not spatially confined to the agonist muscle following strength training. *European Journal of Applied Physiology*. 2017;117(7):1359-71.
105. Mayes S, Ferris AR, Smith P, Garnham A, Cook J. Bony morphology of the hip in professional ballet dancers compared to athletes. *European Radiology*. 2017;27(7):3042-9.

106. Pearson EJM, Morris ME, McKinstry CE. Cancer related fatigue: Implementing guidelines for optimal management. *BMC Health Services Research*. 2017;17(1).
107. Ukachukwu V, Duncan R, Belcher J, Marshall M, Stefanik J, Crossley K, et al. Clinical Significance of Medial Versus Lateral Compartment Patellofemoral Osteoarthritis: Cross-Sectional Analyses in an Adult Population With Knee Pain. *Arthritis Care and Research*. 2017;69(7):943-51.
108. Furlong L, Erickson S, Morris ME. Computer-based speech therapy for childhood speech sound disorders. *Journal of Communication Disorders*. 2017;68:50-69.
109. Entwisle T, Ling Y, Splatt A, Brukner P, Connell D. Distal musculotendinous T junction injuries of the biceps femoris: An MRI case review. *Orthopaedic Journal of Sports Medicine*. 2017;5(7).
110. Delaney JA, Thornton HR, Burgess DJ, Dascombe BJ, Duthie GM. Duration-specific running intensities of Australian Football match-play. *Journal of Science and Medicine in Sport*. 2017;20(7):689-94.
111. Dowman LM, McDonald CF, Hill CJ, Lee AL, Barker K, Boote C, et al. The evidence of benefits of exercise training in interstitial lung disease: a randomised controlled trial. *Thorax*. 2017;72(7):610-9.
112. Dowman LM, McDonald CF, Bozinovski S, Vlahos R, Gillies R, Pouniotis D, et al. Greater endurance capacity and improved dyspnoea with acute oxygen supplementation in idiopathic pulmonary fibrosis patients without resting hypoxaemia. *Respirology*. 2017;22(5):957-64.
113. Fini NA, Holland AE, Keating J, Simek J, Bernhardt J. How physically active are people following stroke? Systematic review and quantitative synthesis. *Physical Therapy*. 2017;97(7):707-17.
114. Thornton HR, Delaney JA, Duthie GM, Dascombe BJ. Importance of various training-load measures in injury incidence of professional rugby league athletes. *International Journal of Sports Physiology and Performance*. 2017;12(6):819-24.
115. Walsh TP, Butterworth PA, Urquhart DM, Cicuttini FM, Landorf KB, Wluka AE, et al. Increase in body weight over a two-year period is associated with an increase in midfoot pressure and foot pain. *Journal of Foot and Ankle Research*. 2017;10(1).
116. Dufour AB, Losina E, Menz HB, LaValley MP, Hannan MT. Obesity, foot pain and foot disorders in older men and women. *Obesity Research and Clinical Practice*. 2017;11(4):445-53.
117. Wylie G, Menz HB, McFarlane S, Ogston S, Sullivan F, Williams B, et al. Podiatry intervention versus usual care to prevent falls in care homes: Pilot randomised controlled trial (the PIRFECT study). *BMC Geriatrics*. 2017;17(1).
118. Whiteside M, Bould E, Tsey K, Venville A, Cadet-James Y, Morris ME. Promoting Twenty-first-century Student Competencies: A Wellbeing Approach. *Australian Social Work*. 2017;70(3):324-36.
119. Finch CF, Cook J, Kunstler BE, Akram M, Orchard J. Subsequent injuries are more common than injury recurrences: An analysis of 1 season of prospectively collected injuries in professional Australian football. *American Journal of Sports Medicine*. 2017;45(8):1921-7.
120. Soh SE, Stuart L, Raymond M, Kimmel L, Holland AE. The validity, reliability, and responsiveness of the modified Iowa Level of Assistance scale in hospitalized older adults in subacute care. *Disability and Rehabilitation*. 2017:1-7.

August 2017

121. Cleary SL, Taylor NF, Dodd KJ, Shields N. An aerobic exercise program for young people with cerebral palsy in specialist schools: A phase I randomized controlled trial. *Developmental Neurorehabilitation*. 2017;20(6):331-8.
122. Brenton-Rule A, Dalbeth N, Menz HB, Bassett S, Rome K. Are Foot and Ankle Characteristics Associated With Falls in People With Rheumatoid Arthritis? A Prospective Study. *Arthritis Care and Research*. 2017;69(8):1150-5.
123. Cotchett M, Lennecke A, Medica VG, Whittaker GA, Bonanno DR. The association between pain catastrophising and kinesiophobia with pain and function in people with plantar heel pain. *Foot*. 2017;32:8-14.
124. Green B, Pizzari T. Calf muscle strain injuries in sport: A systematic review of risk factors for injury. *British Journal of Sports Medicine*. 2017;51(16):1189-94.
125. McPherson L, Long M, Nicholson M, Cameron N, Atkins P, Morris ME. Children's experience of sport in Australia. *International Review for the Sociology of Sport*. 2017;52(5):551-69.
126. Wollin M, Pizzari T, Spagnolo K, Welvaert M, Thorborg K. The effects of football match congestion in an international tournament on hip adductor squeeze strength and pain in elite youth players. *Journal of Sports Sciences*. 2017:1-6.
127. Emmerson KB, Harding KE, Taylor NF. Home exercise programmes supported by video and automated reminders compared with standard paper-based home exercise programmes in patients with stroke: A randomized controlled trial. *Clinical Rehabilitation*. 2017;31(8):1068-77.
128. Tarrant BJ, Le Maitre C, Romero L, Steward R, Button BM, Thompson BR, et al. Mucoactive agents for chronic, non-cystic fibrosis lung disease: A systematic review and meta-analysis. *Respirology*. 2017;22(6):1084-92.
129. Levinger P, Wee E, Margelis S, Menz HB, Bartlett JR, Bergman NR, et al. Pre-operative predictors of post-operative falls in people undergoing total hip and knee replacement surgery: a prospective study. *Archives of Orthopaedic and Trauma Surgery*. 2017;137(8):1025-33.
130. Hart HF, Stefanik JJ, Wyndow N, Machotka Z, Crossley KM. The prevalence of radiographic and MRI-defined patellofemoral osteoarthritis and structural pathology: A systematic review and meta-analysis. *British Journal of Sports Medicine*. 2017;51(16):1195-208.
131. Cleary SL, Taylor NF, Dodd KJ, Shields N. A qualitative evaluation of an aerobic exercise program for young people with cerebral palsy in specialist schools. *Developmental Neurorehabilitation*. 2017;20(6):339-46.
132. Dunstan RH, Sparkes DL, Dascombe BJ, Stevens CJ, Murphy GR, Macdonald MM, et al. Sex differences in amino acids lost via sweating could lead to differential susceptibilities to disturbances in nitrogen balance and collagen turnover. *Amino Acids*. 2017;49(8):1337-45.
133. Carey DL, Blanch P, Ong KL, Crossley KM, Crow J, Morris ME. Training loads and injury risk in Australian football - Differing acute: Chronic workload ratios influence match injury risk. *British Journal of Sports Medicine*. 2017;51(16):1215-20.

134. Chen T, Zhang P, Li Y, Webster K, Zhang J, Yao W, et al. Translation, cultural adaptation and validation of simplified Chinese version of the anterior cruciate ligament return to sport after injury (ACL-RSI) scale. *PLoS ONE*. 2017;12(8).
135. Donaldson A, Lloyd DG, Gabbe BJ, Cook J, Finch CF. We have the Programme, what next? Planning the implementation of an injury prevention programme. *Injury Prevention*. 2017;23(4):273-80.

September 2017

136. Shanahan J, Morris ME, Bhriain ON, Volpe D, Lynch T, Clifford AM. Dancing for Parkinson Disease: A Randomized Trial of Irish Set Dancing Compared With Usual Care. *Archives of Physical Medicine and Rehabilitation*. 2017;98(9):1744-51.
137. Watson L, Balster S, Lenssen R, Hoy G, Pizzari T. The effects of a conservative rehabilitation program for multidirectional instability of the shoulder. *Journal of Shoulder and Elbow Surgery*. 2017.
138. Kaminski MR, Raspovic A, McMahon LP, Lambert KA, Erbas B, Mount PF, et al. Factors associated with foot ulceration and amputation in adults on dialysis: A cross-sectional observational study. *BMC Nephrology*. 2017;18(1).
139. Munteanu SE, Menz HB, Wark JD, Christie JJ, Scurrah KJ, Bui M, et al. Hallux Valgus, By Nature or Nurture? A Twin Study. *Arthritis Care and Research*. 2017;69(9):1421-8.
140. van Middelkoop M, Bennell KL, Callaghan MJ, Collins NJ, Conaghan PG, Crossley KM, et al. International patellofemoral osteoarthritis consortium: Consensus statement on the diagnosis, burden, outcome measures, prognosis, risk factors and treatment. *Seminars in Arthritis and Rheumatism*. 2017.
141. Paterson KL, Kasza J, Hunter DJ, Hinman RS, Menz HB, Peat G, et al. Longitudinal association between foot and ankle symptoms and worsening of symptomatic radiographic knee osteoarthritis: data from the osteoarthritis initiative. *Osteoarthritis and Cartilage*. 2017;25(9):1407-13.
142. Lee AL, Burge AT, Holland AE. Positive expiratory pressure therapy versus other airway clearance techniques for bronchiectasis. *Cochrane Database of Systematic Reviews*. 2017;2017(9).
143. Menz HB, Auhl M, Munteanu SE. Preliminary evaluation of prototype footwear and insoles to optimise balance and gait in older people. *BMC Geriatrics*. 2017;17(1).
144. Scott TJ, Duthie GM, Delaney JA, Sanctuary CE, Ballard DA, Hickmans JA, et al. The Validity and Contributing Physiological Factors to 30-15 Intermittent Fitness Test Performance in Rugby League. *Journal of Strength and Conditioning Research*. 2017;31(9):2409-16.

October 2017

145. Peiris CL, Cumming TB, Kramer S, Johnson L, Taylor NF, Shields N. Accelerometer use in young people with Down syndrome: A preliminary cross-validation and reliability study. *Journal of Intellectual and Developmental Disability*. 2017;42(4):339-50.
146. Kidgell DJ, Bonanno DR, Frazer AK, Howatson G, Pearce AJ. Corticospinal responses following strength training: A systematic review and meta-analysis. *European Journal of Neuroscience*. 2017.

147. Leung M, Rantalainen T, Teo WP, Kidgell D. The corticospinal responses of metronome-paced, but not self-paced strength training are similar to motor skill training. *European Journal of Applied Physiology*. 2017;1-14.
148. Schneider DK, Grandhi RK, Bansal P, Kuntz GE, Webster KE, Logan K, et al. Current state of concussion prevention strategies: A systematic review and meta-analysis of prospective, controlled studies. *British Journal of Sports Medicine*. 2017;51(20):1473-82.
149. Rocha PA, Slade SC, McClelland J, Morris ME. Dance is more than therapy: Qualitative analysis on therapeutic dancing classes for Parkinson's. *Complementary Therapies in Medicine*. 2017;34:1-9.
150. Shields N, Lim P, Wollersheim D, Nikolopoulos N, Barrett J, Evans A, et al. Do foot posture, deformity, and footwear fit influence physical activity levels in children with Down syndrome? A prospective cohort study. *Journal of Intellectual and Developmental Disability*. 2017;42(4):332-8.
151. Dunn A, Pearce K, Callister R, Collison A, Morten M, Mandaliya P, et al. Exercise capacity is not decreased in children who have undergone lung resection early in life for congenital thoracic malformations compared to healthy age-matched children. *Pediatric Pulmonology*. 2017;52(10):1340-8.
152. Dennett AM, Peiris CL, Shields N, Morgan D, Taylor NF. Exercise therapy in oncology rehabilitation in Australia: A mixed-methods study. *Asia-Pacific Journal of Clinical Oncology*. 2017;13(5):e515-e27.
153. Samuelsen BT, Webster KE, Johnson NR, Hewett TE, Krych AJ. Hamstring Autograft versus Patellar Tendon Autograft for ACL Reconstruction: Is There a Difference in Graft Failure Rate? A Meta-analysis of 47,613 Patients. *Clinical Orthopaedics and Related Research*. 2017;475(10):2459-68.
154. Macri EM, Felson DT, Zhang Y, Guermazi A, Roemer FW, Crossley KM, et al. Patellofemoral morphology and alignment: reference values and dose–response patterns for the relation to MRI features of patellofemoral osteoarthritis. *Osteoarthritis and Cartilage*. 2017;25(10):1690-7.
155. Bruder AM, Shields N, Dodd KJ, Taylor NF. Prescribed exercise programs may not be effective in reducing impairments and improving activity during upper limb fracture rehabilitation: a systematic review. *Journal of Physiotherapy*. 2017;63(4):205-20.
156. Tredrea M, Dascombe B, Sanctuary CE, Scanlan AT. The role of anthropometric, performance and psychological attributes in predicting selection into an elite development programme in older adolescent rugby league players. *Journal of Sports Sciences*. 2017;35(19):1897-903.
157. Jo HE, Troy LK, Keir G, Chambers DC, Holland A, Goh N, et al. Treatment of idiopathic pulmonary fibrosis in Australia and New Zealand: A position statement from the Thoracic Society of Australia and New Zealand and the Lung Foundation Australia. *Respirology*. 2017;22(7):1436-58.
158. Rathi S, Taylor NF, Green RA. The upper and lower segments of subscapularis muscle have different roles in glenohumeral joint functioning. *Journal of Biomechanics*. 2017.
159. Webster KE, Feller JA. Younger Patients and Men Achieve Higher Outcome Scores Than Older Patients and Women After Anterior Cruciate Ligament Reconstruction. *Clinical Orthopaedics and Related Research*. 2017;475(10):2472-80.

November 2017

160. Nakazawa A, Cox NS, Holland AE. Current best practice in rehabilitation in interstitial lung disease. *Therapeutic Advances in Respiratory Disease*. 2017;11(2):115-28.
161. West M, Chuter V, Munteanu S, Hawke F. Defining the gap: A systematic review of the difference in rates of diabetes-related foot complications in Aboriginal and Torres Strait Islander Australians and non-Indigenous Australians. *Journal of Foot and Ankle Research*. 2017;10(1).
162. Bourne MN, Timmins RG, Opar DA, Pizzari T, Ruddy JD, Sims C, et al. An Evidence-Based Framework for Strengthening Exercises to Prevent Hamstring Injury. *Sports Medicine*. 2017:1-17.
163. Cox NS, Holland AE. Exercise assessment and training in cystic fibrosis: Can less achieve more? *Journal of Cystic Fibrosis*. 2017.
164. Nae J, Creaby MW, Nilsson G, Crossley KM, Ageberg E. Measurement properties of a test battery to assess postural orientation during functional tasks in patients undergoing anterior cruciate ligament injury rehabilitation. *Journal of Orthopaedic and Sports Physical Therapy*. 2017;47(11):863-73.
165. Khor YH, McDonald CF, Hazard A, Symons K, Westall G, Glaspole I, et al. Portable oxygen concentrators versus oxygen cylinder during walking in interstitial lung disease: A randomized crossover trial. *Respirology*. 2017;22(8):1598-603.
166. Hahne AJ, Ford JJ, Richards MC, Surkitt LD, Chan AYP, Slater SL, et al. Who Benefits Most from Individualized Physiotherapy or Advice for Low Back Disorders? A Preplanned Effect Modifier Analysis of a Randomized Controlled Trial. *Spine*. 2017;42(21):E1215-E24.

December 2017

167. Clark LV, Buckland M, Murphy G, Taylor N, Vleck V, Mein C, et al. Cytokine responses to exercise and activity in patients with chronic fatigue syndrome: case-control study. *Clinical and Experimental Immunology*. 2017;190(3):360-71.
168. Ganderton C, Pizzari T, Cook J, Semciw A. Gluteus Minimus and Gluteus Medius Muscle Activity during Common Rehabilitation Exercises in Healthy Postmenopausal Women. *Journal of Orthopaedic and Sports Physical Therapy*. 2017;47(12):914-22.
169. Giles L, Webster KE, McClelland J, Cook JL. Quadriceps strengthening with and without blood flow restriction in the treatment of patellofemoral pain: A double-blind randomised trial. *British Journal of Sports Medicine*. 2017;51(23):1688-94.
170. Gill TK, Menz HB, Landorf KB, Arnold JB, Taylor AW, Hill CL. Identification of Clusters of Foot Pain Location in a Community Sample. *Arthritis Care and Research*. 2017;69(12):1903-8.
171. Jewson JL, Lambert EA, Docking S, Storr M, Lambert GW, Gaida JE. Pain duration is associated with increased muscle sympathetic nerve activity in patients with Achilles tendinopathy. *Scandinavian Journal of Medicine and Science in Sports*. 2017;27(12):1942-9.
172. Kidgell DJ, Bonanno DR, Frazer AK, Howatson G, Pearce AJ. Corticospinal responses following strength training: a systematic review and meta-analysis. *European Journal of Neuroscience*. 2017;46(11):2648-61.

173. Leung M, Rantalainen T, Teo WP, Kidgell D. The corticospinal responses of metronome-paced, but not self-paced strength training are similar to motor skill training. *European Journal of Applied Physiology*. 2017;117(12):2479-92.
174. Matthews M, Rathleff MS, Claus A, McPoil T, Nee R, Crossley K, et al. Can we predict the outcome for people with patellofemoral pain? A systematic review on prognostic factors and treatment effect modifiers. *British Journal of Sports Medicine*. 2017;51(23):1650-60.
175. Panagodage Perera NK, Joseph C, Kemp JL, Finch CF. Epidemiology of Injuries in Women Playing Competitive Team Bat-or-Stick Sports: A Systematic Review and a Meta-Analysis. *Sports Medicine*. 2017:1-24.
176. Peiris C, Shields N, Kingsley M, Yeung J, Hau R, Taylor N. Maximum Tolerated Dose of Walking for Community-Dwelling People Recovering From Hip Fracture: A Dose-Response Trial. *Archives of Physical Medicine and Rehabilitation*. 2017.
178. Powers CM, Witvrouw E, Davis IS, Crossley KM. Evidence-based framework for a pathomechanical model of patellofemoral pain: 2017 patellofemoral pain consensus statement from the 4th International Patellofemoral Pain Research Retreat, Manchester, UK: Part 3. *British Journal of Sports Medicine*. 2017;51(24):1713-23.
179. Toohey LA, Drew MK, Cook JL, Finch CF, Gaida JE. Is subsequent lower limb injury associated with previous injury? A systematic review and meta-analysis. *British Journal of Sports Medicine*. 2017;51(23):1670-8.
180. Wallis JA, Webster KE, Levinger P, Singh PJ, Fong C, Taylor NF. A walking program for people with severe knee osteoarthritis did not reduce pain but may have benefits for cardiovascular health: a phase II randomised controlled trial. *Osteoarthritis and Cartilage*. 2017;25(12):1969-79